THE SAFEST WAY INTO THE FUTURE










"Although there are millions of roads running across our planet, the people who drive on them all share the same goal: reaching their destination safely. Modern road marking systems support them in that respect."

HARALD MOSBÖCK
VP REGION EUROPE/APMEA
(SALES/CONTRACTING)

The world is more mobile now than ever before. Growing traffic volumes also have increased impact on roadways and road markings.

SWARCO is your competent partner for road marking systems: Our Road Marking Systems Division is one of the world's leading manufacturers and suppliers of reflective glass beads and marking materials. We will happily advise you on which system is best suited to your requirements and needs.

Benefit from our expertise in developing holistic solutions: SWARCO Road Marking Systems is your single source for the development of customized integrated solutions made up of both core components, reflective glass beads and marking materials. It's good to work together to enhance the safety and comfort of road users. On motorways and around town, at airports and along cycle paths, in tunnels and car parks.







Reflective glass beads and marking materials

Road markings are an important safety factor in today's road transport. We bring their benefits together on the road surface: SWARCO Road Marking Systems not only produces high-grade reflective glass beads and marking materials it also manufactures integrated systems combining both product lines. As sole full-range supplier worldwide, we provide you with retro-reflective systems from one source and, where necessary, support you on site in all phases of planning and implementation.

Keep on the safe side with us: Every millimeter of road marking boasts the product quality, service strength and solution competence of a global market and innovation leader.

The SWARCO principle

Marking materials

- + Reflective glass beads
- + Competent consultancy
- = SWARCO Road Marking Systems

REFLECTIVE GLASS BEADS

A brilliant idea

SWARCO Road Marking Systems has been a pioneer in reflective glass bead technology since 1969. The principle is as simple as it is brilliant: The micro-glass beads embedded in the marking material retro-reflect the headlight beam of vehicles, causing the road marking to "light up" at night. This is known as retro-reflection and significantly increases safety and visibility at night.

Nowadays, SWARCO Road Marking Systems is the world's second biggest manufacturer of reflective glass beads. Our glass bead products conform to national and international standards, bearing the CE mark in Europe. The smallest beads are only a few thousandths of a millimeter in size; the maximum diameter is between 1.5 and 2 millimeters.

	Characteristics	Recommendation for use
SWARCO SOLIDPLUS	• High-performance beads • 212 to 1400 µm • Increased service life and excellent retroreflective values • Specially developed glass composition	For all road marking materials
SWARCOFLEX	Standard glass beads 100 to 850 μm Very good retro-reflective values	For all road marking materials
MEGALUX-BEADS	 Top reflectors at night and in wet conditions 600 to 1400 µm Increased retro-reflective values 	Marking systems with increased requirements for visibility in wet conditions (type II markings)
SWARCOLUX	Glass bead mixtures comprising SWARCOFLEX and MEGALUX-BEADS 100 to 1400 m Exceptional retroreflection	Marking systems with increased requirements for visibility in wet conditions (type II markings)
PLUS9BEADS	High-index glass beads for airports 200 to 1000 μm Top-quality reflectors with refractive index ≥ 1.9	Airport markings

SWARCO | The Better Way. Every Day.

MARKING MATERIALS



A colorful spectrum

From liquid and multi-component high-solid-paints through thermo- and cold-spray plastics: Our marking materials are based on proven raw materials and innovative formulations. They guarantee best daytime visibility and perfect embedding of drop-on materials. At our production

sites, we produce a comprehensive range of products with a wide array of paints for all areas of application. The optimum adhesion and durability, even on surfaces with residual moisture, allows an extensive application window from spring through to late autumn.

	Layer thickness	Characteristics	Recommendation for use
1-C High-Solid-Paints			
SWARCOMARK LIMBOROUTE	Wet film thickness 0.3 – 0.6 mm	Cost-efficient marking Low resistance to wear	Edgeline marking, on roads with lower volumes of traffic or in poor condition
2-C High-Solid-Paints			
LIMBOROUTE 2-C K809	Wet film thickness 0.3 – 0.6 mm	 Good resistance to wear Good adhesion on wet, mineral surfaces Longer drying time 	Edgeline marking, in forest areas and alleys, on wet roads, long application window
Dispersion Paints			
SWARCOMARK LIMBOROUTE LW, W	Wet film thickness 0.3 – 0.6 mm	 Environmentally friendly Low emissions Note the WOT	On roads with low volumes of traffic and in sunny weather locations
Thermo Spray Plastic			
SWARCOTHERM HSP HitexSpray	0.6 – 1.2 mm	High cost-efficiency Higher, but intentional wear	Longitudinal markings along roads with low volumes of traffic
Thermoplastic & Preformed Thermoplastic			
SWARCOTHERM EUROTHERM HiFlex	2.0 - 3.0 mm applied on top 2.0 - 3.0 mm inlay $3.0 - 8.0 \text{ mm}$	Rapid trafficabilityHigh wear resistanceLow wear resistance when laid by extruder	On roads with higher volumes of traffic, city roads
Cold Spray Plastic			
LIMBOPLAST KSP	0.3 – 0.6 mm	Cost-efficient markingGood resistance to wearRapid trafficability	Marking along the edges of roads with high volumes of traffic
Cold Plastic			
LIMBOPLAST Hitex PumaGrip	2.0 – 3.0 mm	Very high wear resistance Longer drying time	Longitudinal / transverse markings, on roads with very high volumes of traffic

since

The first chapter in the SWARCO history was written in 1969 with the production of microscopically small reflective glass beads. SWARCO is now among the world leaders in the markets for road markings and traffic management.

Countries

Our Road Marking Systems Division delivers its products and systems to more than 65 different countries – almost a third of the countries on earth.

1200

Millicandela

Our high-performance glass bead, the SWARCO SOLIDPLUS, achieves unrivaled retro-reflective values of up to 1200 mcd/m²*lx. As a comparison: This equates to about 5 to 6 times the value of standard products.



VALUES INSTEAD OF WORDS

Interesting figures from the world of SWARCO

5000+ Mobility experts

More than 5000 employees around the world are on a joint mission. As experts in road marking and traffic management, they support the customers in facilitating modern, safe mobility on the road.

Full-service provider

SWARCO Road Marking Systems is one of the world's leading manufacturers of marking materials and reflective glass beads. We are your one-stop shop for system competence.



Kilometers of road

The annual production of SWARCO Road Marking Systems, increasing every year, is sufficient to equip over a million road kilometers, which corresponds to some 25 journeys around the globe.

VISIBLY EFFICIENT BY DAY AND NIGHT

Type I marking systems









The standard system for secondary road networks: So-called type-I markings are a widespread and very cost-effective form of marking in many European countries.

Special characteristics: This type of marking is very visible in the daylight and – depending on the glass bead – offers adequate to good visibility at night in dry road conditions.

Disadvantage: In darkness and poor weather (fog, rain), a film of water on the glass beads prevents retro-reflection of the headlight beam. In that case, the marking offers poor visibility and is hard to spot. The film of water causes a mirror reflection that creates a glare for oncoming traffic.

Good to know: Type-I markings can be created with all approved, sprayable marking materials as well as thermo and cold-spray plastics as a plain marking. Glass bead blends sized between 100 and 850 μ m are especially adjusted for this.



SWARCO Road Marking Systems: Tailor-made for your needs.

Each marking system is a tailor-made combination of marking materials and reflective glass beads. We will happily advise you on which system is best suited to your specific requirements.

VISIBLY BETTER AT NIGHT AND IN WET CONDITIONS

Type II marking systems







State of the art in modern marking systems: So-called type-II markings also demonstrate their visible strength at night on wet roads. Compared to type I, this means ever greater traffic safety, particularly on motorways.





The principle: Type-II systems optimize the retro-reflection of the headlight beam. This is because the glass beads are embedded in such a way that they protrude from the film of water. This can be achieved in three ways:

- Agglomerate marking systems with a structured surface
- Profiled marking systems with haptic and warning effects
- Flat line systems with coarse drop-on materials

Even more visible, even safer: Thanks to their open structures, agglomerate marking systems are characterized by excellent drainage properties. This guarantees the utmost safety in wet conditions.

FLAT LINE SYSTEMS

with coarse drop-on materials

	Characteristics	Innovations		
Thin-Layered Type II				
1-C high-solid-paints 2-C high-solid-paints Dispersion paints Thermo spray plastic Cold spray plastic	Minimum layer thickness of 0.6 mm Glass beads are directly exposed to traffic and wear High wear when snowploughs are deployed	SWARCO SOLIDPLUS with cold spray plastic		
Thick-Layered Type II				
Cold plastic applied on top Thermoplastic applied on top or inlay	 Layer thickness: Cold plastic applied on top 2.0 – 3.0 mm, Thermoplastic applied on top 2.0 – 3.0 mm, inlay 3.0 – 8.0 mm Glass beads are directly exposed to traffic and wear Thermoplastic wear more quickly than cold plastic With the increasing abrasion of the thermoplastic, premix beads appear on the surface, ensuring that good night-time visibility is maintained longer, even in wet conditions Cold plastic are easy to refurbish with cold spray plastic over-markings Less effective drainage 	For example: D480/SWARCO SOLIDPLUS 50 100–800 T18 Successfully deployed with very high requirements (R5, RW5), e.g. on motorways in Thuringia SWARCO SOLIDPLUS beads are also available as premix beads.		





The structure makes the difference: Type II agglomerate markings with a structured surface deflect the wet better than any other system.



This results in an unbeatable combination of road safety, economic efficiency and sustainability. After our many years of research and development, these innovative markings are among the most sought after Type II systems in Germany today.

Good to know: Depending on the application technique, a distinction is made between a regular and a stochastic structure. We will be happy to advise.

AGGLOMERATE MARKINGS

from reactive materials / thermoplastic materials

	Characteristics	Innovations
From Reactive Materials		
LIMBOPLAST D480 LIMBOPLAST TEXTURED/ STRUCTURED	Low material usage: 2.2 – 2.8 kg/m² Good resistance to wear and ability to withstand winter road services More effective drainage	Trials with new structures that reduce noise emissions from agglomerate markings Combination of two high-grade, proven and tested products (D480 with cold spray plastic or 2-C K809) to create a marking system in combination with SWARCO SOLIDPLUS beads delivering high retro-reflective values of over 500 mcd/m²*lx, e.g.: for preliminary traffic release markings with 2-C K809 on mineral surfaces with residual moisture for refurbishing or refreshing worn, weathered agglomerates by spraying them over with cold spray plastic
From Thermoplastic Materials		
AGGLOTHERM TS AGGLOTHERM 50 AGGLOTHERM TOPLINE	Material usage of approx. 3.5 – 4.5 kg/m² With the increasing abrasion of the thermoplastic, premix beads appear on the surface and ensure good, longer-term day-time and night-time visibility Lower wear resistance against winter road services, particularly with irregular agglomerates compared to agglomerates from reactive materials Higher application temperature compared to flat line systems made from thermoplastic materials More effective drainage	Use of new, high grade SWARCO SOLIDPLUS beads with a high degree of roundness and a higher refractive index for excellent night-time visibility values





SWARCO Road Marking Systems is your specialist for special markings in all areas of use. Ask us for the appropriate solution for your specific application.



Aiport markings

Our 1-C and 2-C high-solid-paints, dispersion paints and cold spray plastic are tested by official institutes. Their resistance to fuels, oils and de-icers is also assessed. Airport beads with high refractive indices ensure outstanding retro-reflection. Colored glass granulate increases the grip of non-white markings.



Construction zone markings

Our 1-C and 2-C high-solid-paints, cold spray plastic and structured plastic are ideal for creating temporary yellow markings in construction zones.

A cost-effective alternative to pavement marking tapes.



Indoor Markings

Our high-quality markings for industrial halls have been successfully proven in practice for many years now. They significantly increase indoor safety when combined with certified phosphorescent indoor safety lane marking systems for marking ground-level escape routes.



High Friction Surfacing

Our anti-skid technology provides an ideal solution for high trafficked areas, sharp bends, roundabouts, and pedestrian crossings where braking distances and skidding can be a concern. Provided in both cold and hotapplied high friction surfacing systems, the product is suitable for a diverse range of project requirements.



Road Repair & Surface Reinstatement

Our road repair and surface reinstatements solutions are designed to extend the operational life of road surfaces and increase the safety and efficiency of road networks. The systems can be rapidly installed with minimum disruption and long-term results.



Playground & schoolyard markings



Sports grounds



Tactile markings

TRAFFIC SAFETY ALLALONG THE LINE

SWARCO Road Marking Systems





Did you know that the Fédération Internationale de Motocyclisme (FIM) and the Fédération Internationale de l'Automobile (FIA) has approved our special LIMBOROUTE Circuitline WBP waterborne paint to mark racetracks? This waterborne paint may be used for white lines, curbs (white and colour), starting grids, etc. Traffic safety all along the line.

From standard to special: We will find the best marking solution for every application. Which one is yours?

SWARCO | The Better Way. Every Day.

SHOWING THE WAY, WORLDWIDE

In 1969 we started out with the manufacture of tiny reflective glass beads. Today we have grown into the world's largest systems provider for road markings. Making roads safer and saving lives on a daily basis. Our high quality products and services, safely direct traffic flow from A to B, every day and night. On all roads, in any weather, and all from SWARCO.

We prepare for the future, by fusing knowledge with innovation at our Competence Center for Glass Technology and Marking Systems. So, even with smart and autonomous driving, we continue to blaze the trail of premium road markings to the world. Jump in and drive with us; we will be happy to help you find your ideal road marking solutions.

www.swarco.com/rms



Imprint:
Responsible for content: SWARCO Road Marking Systems,
www.swarco.com/rms | Idea, design, and artwork: Kommhaus,
www.kommhaus.com | Photos: SWARCO Road Marking Systems,
Wolfgang Stadler, shutterstock | Print: Druckwerkstatt Handels GmbH
Subject to change without notice. | No liability for errors or misprints.



